

Safety Data Sheet

1 Identification of the mixture and of the company/undertaking

1.1 Product identifier:

Identification on the label/Trade name: Amino Tri(methylene phosphonic acid)/ TAUQUEST 2000
 Additional identification: ATMP
 Identification of the product: See section 3
 Index Number: Not available
 REACH registration No.: Not available

1.2 Relevant identified uses of the mixture and uses advised against:

1.2.1 Identified uses:

Used as Scale inhibitors and corrosion inhibitor in cooling water, boiler water and oilfield water treatment.

1.2.2 Uses advised against:

Not available.

1.3 Details of the supplier of the safety data sheet:

Supplier(Only representative): Chemical Inspection & Regulation Service Limited
 Supplier(Manufacturer): Tau Chemicals Inc
 Address: 25511 Budde Road suite 1503 The Woodlands TX 77380
 Contact person(E-mail): www.tauchemicals.com
 Telephone: 281-825-5301
 Fax: 832-592-9546

1.4 Emergency telephone Number: Chemtel 1800-255-3924 Contract # MIS305345

2 Hazards Identification

2.1 Classification of the mixture

2.1.1 Classification:

The mixture is classified as following according to 1999/45/EC and REGULATION (EC) No 1272/2008:

REGULATION (EC) No 1272/2008	
Hazard classes/Hazard categories	Hazard statement
Met. Corr. 1	H290
Eye Irrit.2	H319

For full text of H- phrases: see section 2.2.

1999/45/EC	
Hazards characteristics	R-Phrases
Xi	R36

For full text of R- phrases: see section 16.

Safety Data Sheet

2.1.2 The most important adverse effects

2.1.2.1 The most important adverse physicochemical effects:

May be corrosive to metals.

2.1.2.2 The most important adverse human health effects:

Cause serious eye irritation.
Harmful if inhaled.

2.1.2.3 The most important adverse environmental effects:

Harmful to aquatic life with long lasting effects.

2.2 Label elements

Hazard Pictograms:



Signal Word(S):

Warning

Hazard Statement:

H290 May be corrosive to metals.
H319 Cause serious eye irritation.

Precautionary Statement:

P234: Keep only in original container.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P390: Absorb spillage to prevent material damage.
P406: Store in corrosive resistant/ container with a resistant inner liner.

2.3 Other hazards

EUH032 Contact with acids liberates very toxic gas.

3 Composition/information on ingredients

Substance/Mixture: Mixture

Chemical Name	Registration No.	Index number.	CAS No.	EC No.	Concentration	Classification according to EU CLP 1272/2008
Amino Tri(methylene phosphonic acid)	N/A	N/A	6419-19-8	229-146-5	48-52%	Met. Corr. 1;H290 Eye Irrit.2;H319
Phosphorous Acid	N/A	N/A	10294-56-1	233-663-1	4.0 % max	Eye Irrit.2;H319 Skin Irrit.2;H315
Phosphoric acid	N/A	N/A	7664-38-2	231-633-2	0.8% max	Eye Irrit.2;H319 Skin Irrit.2;H315 STOT SE 3;H335
Other ingredients determined not be hazardous	N/A	N/A	-	-	Balance	-

Safety Data Sheet

Chemical Name	Registration No.	Index number.	CAS No.	EC No.	Concentration	Classification according to 67/548/EEC
Amino Tri(methylene phosphonic acid)	N/A	N/A	6419-19-8	229-146-5	48-52%	Xi;R36
Phosphorous Acid	N/A	N/A	10294-56-1	233-663-1	4.0 % max	Xi;R36/38
Phosphoric acid	N/A	N/A	7664-38-2	231-633-2	0.8% max	Xi;R36/37/38
Other ingredients determined not be hazardous	N/A	N/A	-	-	Balance	-

4 First aid measures

4.1 Description of first aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

4.1.1 In case of inhalation:

Remove to fresh air, treat symptomatically. If symptoms develop, seek medical advice.

4.1.2 In case of skin contact:

Remove contaminated clothing. Wash off affected area immediately with soap and plenty of water. Get medical attention.

4.1.3 In case of eyes contact:

Immediately flush eye with water for at least 15 minutes while holding eyelids open. If only one eye is affected be sure to use care not to contaminate the other eye with the run-off. Get medical attention.

4.1.4 In case of ingestion:

Get medical attention. Do not induce vomiting without medical advice. If conscious, washout mouth and give water to drink...

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

If eye irritation occurs, get medical advice/attention.

5 Fire-Fighting measures

5.1 Extinguishing media:

Suitable extinguishing media: This product would not be expected to burn unless all the water is boiled away. The remaining organics may be ignitable.

Unsuitable extinguishing media: Not available.

5.2 Special hazards arising from the substance or mixture

May evolve oxides of carbon (COx) under fire conditions.

May evolve oxides of phosphorus (POx) under fire conditions.

May evolve oxides of nitrogen (NOx) under fire conditions.

Contact with reactive metals (e.g. aluminum) may result in the generation of flammable hydrogen gas.

Safety Data Sheet

5.3 Advice for fire-fighters:

In case of fire, wear a full face positive-pressure self-contained breathing apparatus and protective suit.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

6.1.1 For non-emergency personnel:

Remove all sources of ignition. Ventilate area of leak or spill.

6.1.2 For emergency responders:

Wear appropriate personal protective equipment as specified in section 8.

6.2 Environmental Precautions:

Do not allow to enter drains, sewers or water systems. Inform neighbors.

6.3 Methods for Containment and Cleaning up:

Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

6.5 Additional information:

Absorb on inert material. Small quantities are to be neutralized with lime and swept away with plenty of water.

7 Handling and storage

7.1 Precautions for safe handling:

7.1.1 Protective measures:

Avoid contact with eyes and with skin. Wash hands immediately after handling. Do not breathe fumes or spray.

7.1.2 Advice on general occupational hygiene:

Do not eat, drink and smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities:

Store in suitable labeled containers. Store the containers tightly closed. Store separately from hypochlorites, chlorites, nitrites, nitrates and sulphites; contact with these chemicals can liberate toxic gases. Use only acid-resistant containers

7.3 Specific end use(s):

Not applicable.

8.1 Control parameters:

8.1.1 Occupational exposure limits: Not listed.

8.1.2 Additional exposure limits under the conditions of use: Not available.

8.1.3 DNEL/DMEL and PNEC-Values: Not available.

Safety Data Sheet

8.2 Exposure controls

8.2.1 Appropriate engineering controls:

In general, dilution ventilation is a satisfactory health hazard control for this substance. However, if conditions of use create discomfort to the worker, a local exhaust system should be considered.

8.2.2 Individual protection measures, such as personal protective equipment:

Eye/face protection	Wear chemical splash goggles.
Hand protection	Wear PVC gloves, Nitrile gloves. Most glove materials are of low chemical resistance. Replace gloves regularly.
Body protection	Wear standard protective clothing.
Respiratory protection	For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerin, etc.) are present, use a filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator.
Thermal hazards	Wear suitable protective clothing to prevent heat.

8.2.3 Environmental exposure controls:

Avoid disposing into drainage/sewer system or directly into the aquatic environment. Handling according to local regulations, Federal and official regulations.

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Color:	Clear , Colorless to pale yellow
Odor:	Slight
Odor threshold:	Not available
pH-value: (10 g/l)	2.0 max
Freezing point:	-15°C
Boiling point/range (°C) :	Not available
Flash point (°C) :	None
Evaporation rate:	Not applicable
Flammability (solid, gas);	Not flammable
Ignition temperature (°C) :	Not determined
Upper/lower flammability/explosive limits:	Not determined
Vapor pressure (20°C) :	Not determined
Vapor density:	Not applicable
Relative Density (25°C):	Not applicable
Density at 20°C:	1.31- 1.35 g/ml
Water solubility (g/l) at 20°C :	Not determined
n-Octanol/Water (log Po/w) :	Not determined
Ignition temp. (stable, gaseous):	> 500°C
Decomposition temperature:	Not available
Viscosity, dynamic (mPa s) :	Not determined
Explosive properties:	Not determined
Oxidizing properties:	Not applicable

Safety Data Sheet

9.2. Other information:

Fat solubility(solvent-oil to be specified) etc.:	Not available
Surface tension:	Not available
Dissociation constant in water(pKa):	Not available
Oxidation-reduction Potential:	Not available

10 Stability and reactivity

10.1 Reactivity:

The substance is stable under normal storage and handling conditions.

10.2 Chemical stability:

Under normal conditions, the product is stable. No hazardous reaction when handled and stored according to provisions. Hazardous reactions are not known.

10.3 Possibility of hazardous reactions:

Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors. Contact with strong alkalis (e.g. ammonia and its solutions, carbonates, sodium hydroxide (caustic), potassium hydroxide, calcium hydroxide (lime), cyanide, sulfide, hypochlorites, chlorites) may generate heat, splattering or boiling and toxic vapors. Acid reactive salts (nitrites, sulfites) Gives off hydrogen by reaction with metals.

10.4 Conditions to avoid:

Heating, open flames, sources of ignition. Avoid contact with acid non-resistant materials/containers.

10.5 Incompatible materials:

Strong oxidizers, fires, explosions and/or toxic vapors. Strong alkalis, splattering or boiling and toxic vapors, etc.

10.6 Hazardous decomposition products:

Under fire conditions: Oxides of carbon, oxides of nitrogen, oxides of phosphorus.

11 Toxicological information

11.1 Toxic kinetics, metabolism and distribution

Non-human toxicological data:	Not available
Method:	Not available
Doses:	Not available
Routes of administration:	Not available
Results:	Not available
Absorption:	Not available
Distribution:	Not available
Metabolism:	Not available
Excretion:	Not available

Safety Data Sheet

11.2 Information on toxicological effects

Acute toxicity:

LD50(Oral, Rat): 2910 mg/kg
 LD50(Skin, Rabbit): 6310 mg/kg
 LD50(Inhalation, Rat): Not available

Skin corrosion/irritation: Moderately irritating

Serious eye damage/irritation: Severely irritating

Respiratory or skin sensitization: This product is not expected to be a sensitizer.

Germ cell mutagenicity: Not classified

Carcinogenicity: None of the substances in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the American Conference of Governmental Industrial Hygienists (ACGIH).

reproductive toxicity: Not classified

STOT- single exposure: Not classified

STOT-repeated exposure: Not classified

Aspiration hazard: Not classified

12 Ecological information

Toxicity:

Acute toxicity		Time	Species	Method	Evaluation	Remarks
LC50	> 330 mg/l	96h	Bluegill Sunfish	OECD 203	N/A	N/A
LC50	297 mg/l	48h	Daphnia magna	OECD 202	N/A	N/A
LC50	4,575 mg/l	96h	Grass Shrimp	OECD 201	N/A	N/A

Persistence and degradability: Total Organic Carbon (TOC):59000mg/L
 Chemical Oxygen Demand (COD):230000mg/L
 Biological Oxygen Demand (BOD):15700mg/L
 Not available.

Bio accumulative potential:

Mobility in soil:

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models. If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages; <5% 30 - 50% 50 - 70% The portion in water is expected to float on the surface.

Results of PBT&vPvB assessment: Not applicable.

Other adverse effects: Not applicable.

Safety Data Sheet

13 Disposal considerations

13.1 Waste treatment methods

Avoid disposing directly to the environment. According to local regulations, Federal and official regulations.

13.2 Product / Packaging disposal:

If empty container retains product residues, all label precautions must be observed. Return for reuse or dispose according to national or local regulations.

14 Transport information

	<i>Land transport (ADR/RID)</i>	<i>Sea transport (IMDG)</i>	<i>Air transport (ICAO/IATA)</i>
UN-Number:	UN3265	UN3265	UN3265
UN Proper shipping name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Transport hazard Class:	8	8	8
Packaging group:	II	II	II
Environmental hazards:	Not regulated	Not regulated	Not regulated
Special precautions for user:	See section 2.2	See section 2.2	See section 2.2
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	IBC02	IBC02	IBC02

Safety Data Sheet

15 Regulation information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant information regarding authorization:	Not applicable.				
Relevant information regarding restriction:	Not applicable.				
Other EU regulations:	Employment restrictions concerning young person must be observed. For use only by technically qualified individuals.				
Other National regulations:	Not applicable				
Chemical Safety Assessment has been carried out?	<table border="0" style="margin-left: 20px;"> <tr> <td>YES</td> <td><input type="checkbox"/></td> <td>NO</td> <td><input checked="" type="checkbox"/></td> </tr> </table>	YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>
YES	<input type="checkbox"/>	NO	<input checked="" type="checkbox"/>		

16 Other information

16.1 Indication of changes Version 1.1 Amended by EU No 453/2010

16.2 Relevant R- phrases (number and full text):

R36: Irritating to eyes.

16.3 Training instructions:

Not applicable.

16.4 Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

16.5 Notice to reader:

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if we has been advised of the possibility of such damages.